

iO Lighting

Retail price list (NZ Dollars)

Valid from 1/8/2020

iO Drum Pendants



The IO Drum pendant light is available in the following Standard* sizes:

Size:	Code	Retail Price
Drum Ø375mm x h 300mm	ioD375	\$569.00 NZ
Drum Ø450mm x h 300mm	ioD450	\$679.00 NZ
Drum Ø525mm x h 300mm	ioD525	\$819.00 NZ
Drum Ø600mm x h 300mm	ioD600	\$929.00 NZ
Drum Ø600mm x h 400mm	ioD600L	\$994.00 NZ
Drum Ø900mm x h 400mm * 3-wire suspension required – see accessories P6	ioD900	\$1,939.00 NZ

Black-edge Finish – Add 10% to all prices /Custom height fins – Price on request

*Drum Ø90cm x h40cm - Max 100W E27 (Three wire cable suspension required. We recommend purchasing our full suspension kit with this shade. See Accessories on P5


Installation must be by a certified electrician.

All our Drum shades are rated Max 100W

iO LONG PENDANTS

and

iO FLUTE PENDANT




iO Long Pendants are available in the following standard* sizes:

Size:	Code	Retail Price
Flute ø140mm x h 420mm (radius tips) Max 40W E14 (lamp-holder no longer supplied)	iOFlute	\$305.00 NZ
Long ø210mm x H600mm Max 60W, E27	iOL210	\$445.00 NZ
Long ø285mm x H600mm Max 60W, E27	iOL280	\$579.00 NZ
Long ø375 mm x H600mm Max 100W, E27	iOL375	\$764.00 NZ

iO Flute Pendant Note

iO Flute pendants are ø14cm x h42cm and have a ¼-round radius to the inside tip of each fin. **Max 40W E14** bulb
*Lamp-holder is not supplied (see accessories P6)



Black-edge Finish – Add 10% to all prices / Custom height fins – Price on request

*Installation must be by a certified electrician.

iO LAMPS



All lamps are supplied with 2.5m lead with in-line switch and molded plug

Size:	Code	Retail Price
Table Short ø210mm x H300mm	ioSmall	\$395.00 NZ
Table Medium ø210mm x H480mm	ioMed.	\$464.00 NZ
Floor Tall ø280 x H 1000mm	ioTall	\$1,009.00 NZ
Slice Lamp/Pendant - Natural ø210mm x h 570mm	ioSI-N	\$659.00 NZ
Slice Lamp/Pendant - Colour* ø210mm x h 570mm	ioSI-C	\$749.00 NZ

Black-edge Finish – Add 10% to all prices

All lamps are B22 Max 60 Watt GLS

All lamps are NZ/AU electrical compliance certificated to **AS/NZS 60598.2.4:2005+A1 & AS/NZS 60598.1:2013**

* Colour is applied to the inside face of the fins of the Slice lamp. Standard colours are Resene Red Hot, Surfie Green, White. Specified colours are available – price on request.



iO² is the squared version of the original iO range. The flat sections may be extended making this series highly adaptable.

iO² Square shades

Size:	Code	Retail Price
iO ² Cube 30 - L30cm x W30cm H30cm	lo2 C30	\$614.00 NZ
iO ² Cube 40 - L43cm x W43cm x H 40cm	lo2 C40	\$839.00 NZ
iO ² Long 30 - L30cm x H30cm X H60cm	lo2L30	\$724.00 NZ
iO ² Square 80 - L80cm x W80cm X H40cm**	lo2 Sq80	\$1,585.00 NZ

**io2Sq80 uses a 4-wire suspension system plus cord-set. We recommend you purchase these together from us. Please see accessories pricing on P6


iO² Rectangle shades are available in the following lengths:

Size: H30cmxW30cm x L -	Pendant cord Drop spacings	Code	Retail Price
L800mm	2 bars @ C/360mm	lo2Rect80	\$1,159.00 NZ
L935mm	2 bars @ C/430mm	lo2Rect935	\$1329.00 NZ
L1060mm	2 bars @ C/500mm	lo2Rect1060	\$1495.00 NZ
L1195mm	3 bars @ C/365mm	lo2Rect1195	\$1685.00 NZ
L1325mm	3 bars @ C/410mm	lo2Rect1325	\$1,795.00 NZ

L1435mm	3 bars @ C/440mm	lo2Rect1435	\$1,829.00 NZ
L1565mm	3 bars @ C/470mm	lo2Rect1565	\$1,995.00 NZ
L1695mm	4 bars @ C/400mm	lo2Rect1695	\$2,159.00 NZ

Size: H30cm x W30cm x L -	Pendant cord Drop spacings	Code	Retail Price
L1830mm	4 bars @ C/420mm	lo2Rect1830	\$2,325.00 NZ
L1960mm	4 bars @ C/470mm	lo2Rect1960	\$2,456.00 NZ
L2070mm	4 bars @ C/500mm	lo2Rect2070	2,529.00 NZ
L2200mm	4 bars @ C/525mm	lo2Rect2200	\$2,655.00 NZ

For longer rectangles please obtain a quote

<p>iO² Slimline rectangle H20cm x W17cm</p> <p>Available in all above lengths</p> <p>Price: Deduct \$75.00 from the above price</p>	
--	---

Black-edge Finish – Add 10% to all prices

iO NIMBUS



The iO Nimbus is a larger feature piece measuring L 120cm x H40cm x ϕ 70/50cm. It requires two suspensions but no additional support wire. Highly effective features can be created by grouping several Nimbus together







PRICE: Retail Price: \$2335.00 NZ

Black-edge Finish – Add 10% to all prices

OPTIONAL ACCESSORIES

Pendant Cord Sets

Include: 80mm powder-coated metal ceiling rose, E14/E27 Snap-lock lamp-holder, 1m PVC cord wit 2x cord-grips available in White or Black.

					
<p>E14 set: these are suitable for our smaller Flute pendants</p>	 <p>Standard 80mm C-rose</p>	<p>110mm C-rose with wire ports (for 900mm drums).</p>	<p>Triple lamp splitter - Supplied with tagged cord – length of drop required</p>	<p>E27 40mm Snap-lock lamp-holder with threaded skirt</p>	

E14 Cord set for flute pendants	Retail Price: \$78.00 NZ
Standard 80mm cord-sets	Retail Price: \$95.00 NZ
Large 110mm Cordset with ports for 3 or 4 steel support wires	Retail Price: \$179.00 NZ
Triple Lamp Splitter	Retail Price: \$295.00 NZ

BASE DIFFUSER – Please contact us for a quote



Available in Opal Acrylic or Frosted Acrylic

Cut slightly smaller than the bottom ring and resting on three chrome pegs

Technical Data

Our lights have been tested to and meet AS/NZS 60598.2.1:2014

All of our iO lights are made using a premium grade NZ radiata ply in a natural finish. There is an option for black-edge finish (outside face of fin only is coloured black). Radiata is a light coloured timber with some natural variation in grain colour.

The paper diffuser is wipeable, tear resistant and non-yellowing Japanese shoji paper.

Electrical information

iO Floor and Table lamps are tested to:
Portable general purpose luminaires standard - AS/NZS 60598.2.4:2005

iO Pendants are tested to: Fixed general purpose luminaires standard - AS/NZS 60598.2.1:2014

Bulb ratings:

iO Floor and table lamps: Bayonet type B22 MAX 60W GLS

iO Flute Pendants: Edison Screw E14 MAX 40W GLS

iO Long Pendants: Edison Screw E27 MAX 60W GLS


iO Drum Pendants: Edison Screw E27 MAX 100W GLS

NOTE: If the external cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person to avoid hazard. This Luminaire is suitable for indoor use only. Maximum ambient temperature Ta:25°C

Wiring Instructions. - (Pendants only)

Installation must be carried out by a qualified professional

If you have had your suspension fittings for pendant shades supplied by MAKER, you'll need to follow the wiring instructions below.



NOTE: The diagram is shown with the connecting block open. The lid of the connecting block should be closed after all connections have been made and tested prior to final fixing of the ceiling rose.

MAKER.

Crafted in New Zealand

www.makerdesignstudio.co.nz |   

See the complete range of lighting at www.makerdesignstudio.co.nz